



High Voltage Peripherals for D20 End-of-Manufacturing/Supply Notice

Excerpt from Publication Number: GER-5001

Issued: 10th June 2025

Revision Dates:

- 21st October 2025 (Rebranding Revisions)

Copyright © 2025 GE Vernova

Background

GE Vernova Grid Solutions is committed to customer care and the support of our offerings. As part of this commitment, we strive to design high quality offerings, provide knowledge-based support, and to communicate the availability of new features or offerings as well as the pending discontinuation of manufacturing for older offerings or design variants.

On 10th June 2025, GE Vernova Grid Solutions announced the discontinuation of the manufacturing and supply of High Voltage Peripherals for D20 as shown below. Note that alternatives have different auxiliary voltage.

On 21st October 2025, this notice was revised in accordance with GE Vernova rebranding guidelines.

OFFERING	STATUS	ALTERNATIVE
High Voltage Peripherals For D20 Order codes: 517-0242 32 Channel, HV (40-150VDC or D.20 Power), Compression Termination 517-0267 220V HV (40-150VDC) Compression Termination 517-0362 HV 24V DI Compression Termination, Analog Input & Output Allowed 517-0363 Westerm D20 C4Z2 With Plugs, 48VDI 517-0368 Westerm D20 K4Z PCBA Break Away With TB	Order Book Closed	D20 Low Voltage Peripherals Order codes: Note That Alternatives Have Different Auxiliary Voltage. 517-0164 32 Channel LV (20-60VDC or D.20 Power) Compression Termination 517-0169 LV (20-60VDC or D.20 Power) Compression Termination & DB25 For Interposer Relays 517-0169 LV (20-60VDC or D.20 Power) Compression Termination & DB25 For Interposer Relays 517-0217 LV (20-60VDC or D.20 Power) Compression Disconnect Termination & DB25 For Interposer Relays 517-0217 LV (20-60VDC or D.20 Power)

OFFERING	STATUS	ALTERNATIVE
		Compression Disconnect Termination & DB25 For Interposer Relays
High Voltage Peripherals For D20 Order codes: D20CAxxxxxxxxxx D20C 4Z2 220V HV (40-150VDC) Compression Termination (517-0267) D20CFxxxxxxxxxx D20C 4Z2 HV 24V DI Compression Termination, Analog Input & Output Allowed (517-0362, 245-0031(6)) D20CSTAxxxxxxxxxx D20C 4Z2 HV 24V DI Compression Termination, Analog Input & Output Allowed (517-0362) D20CSTCxxxxxxxxxx D20C 4Z2 HV Compression Disconnect Termination, 48V DI (517-0363) D20CSTDxxxxxxxxxx D20C 4Z2 HV Compression Disconnect Termination, 220V DI (517-0267) D20K5xxxxxx D20K4Z, 32 Channel, HV (40-150VDC or D.20 Power), Compression Termination (517-0242) DNPIOC8xxxxxxxxxx D20C4Z2 DNP3 IO Module HV (Westerm+Wesdac) 200V Wetting, Compression Termination DNPIOK5x D20K4Z DNP3 IO Module (Westerm+Wesdac) HV Power Input 40- 150 VDC, Compression Termination	Order Book Closed	D20 Low Voltage Peripherals Order codes: Note That Alternatives Have Different Auxiliary Voltage. D20C1xxxxxxxxxx LV (20-60VDC or D.20 Power) Compression Termination & DB25 For Interposer Relays (517-0169) D20C1xxxxxxxxxx LV (20-60VDC or D.20 Power) Compression Termination & DB25 For Interposer Relays (517-0169) D20CST1xxxxxxxxxx LV (20-60VDC or D.20 Power) Compression Termination & DB25 For Interposer Relays D20CST4xxxxxxxxxx LV (20-60VDC or D.20 Power) Compression Disconnect Termination & DB25 For Interposer Relays D20CST4xxxxxxxxxx LV (20-60VDC or D.20 Power) Compression Disconnect Termination & DB25 For Interposer Relays D20K1xxxxxx 32 Channel LV (20-60VDC or D.20 Power) Compression Termination DNPIOC1xxxxxxxxxx DNP3 IO Module LV (Westerm + Wesdac) Compression Termination & DB25 For Interposer Relays DNPIOK1x DNP3 IO Module (LV Power 20-60VDC), Compression Termination

Support

GE Vernova's warranty provision is unaffected by this End-of-Manufacturing/Supply Notification. After order book closed, a repair service follows for items no longer under warranty subject to availability that includes repairing failed components or modules, but not to providing advanced replacements or a new product or module as a replacement or spare.

Customers should contact us if they need further information concerning the level of service that is provided on a per offering basis.

For Additional Information

If we can provide assistance with migration to new offerings, please contact us for help. Advice and assistance are also available via: <https://www.gevernova.com/grid-solutions/contact.htm?loc=3> or <https://www.gevernova.com/grid-solutions/automation/protection-control-metering>.