

MODEL 141

Current Transformer

Window Diameter 8.13"

Application

Relaying and metering.

Frequency

50-400 Hz.

Insulation Level

600 Volt, 10 kV BIL full wave.



REGULATORY AGENCY APPROVALS
 E93779  LR89403
Manufactured to meet the requirements of ANSI/IEEE C57.13.
Classified by U.L. in accordance with IEC 44-1

Terminals are brass screws No. 10-32 with one flatwasher and lockwasher.

Order mounting bracket kit 0221B00775 separately.

Multi-ratios available on request.

Approximate weight 44 lbs.



GE VERNOVA





Model 141

CATALOG NUMBER	CURRENT RATION	RELAY CLASS	ANSI METERING CLASS AT 60 Hz					SECONDARY WINDING RESISTANCE (Ω @ 75 °C)	CONTINUOUS THERMAL RATING FACTOR	
			B0.1	B0.2	B0.5	B0.9	B1.8		@ 30 °C	@ 55 °C
141-500	50:5	C10	4.8	-	-	-	-	0.033	2.0	2.0
141-101	100:5	C10	2.4	2.4	-	-	-	0.066	2.0	2.0
141-201	200:5	C20	0.6	1.2	1.2	2.4	4.8	0.117	2.0	2.0
141-301	300:5	C50	0.6	0.6	1.2	1.2	2.4	0.248	2.0	2.0
141-401	400:5*	C50	0.3	0.3	0.6	0.6	1.2	0.277	2.0	2.0
141-501	500:5*	C100	0.3	0.3	0.3	0.6	0.6	0.415	2.0	2.0
141-601	600:5*	C100	0.3	0.3	0.3	0.3	0.6	0.498	2.0	1.5
141-801	800:5*	C100	0.3	0.3	0.3	0.3	0.3	0.664	2.0	1.5
141-102	1,000:5*	C200	0.3	0.3	0.3	0.3	0.3	0.829	2.0	1.5
141-122	1,200:5*	C200	0.3	0.3	0.3	0.3	0.3	1.002	2.0	1.5
141-152	1,500:5*	C400	0.3	0.3	0.3	0.3	0.3	1.253	1.5	1.0
141-202	2,000:5*	C400	0.3	0.3	0.3	0.3	0.3	1.659	1.33	1.0
141-252	2,500:5*	C400	0.3	0.3	0.3	0.3	0.3	1.963	1.5	1.33
141-302	3,000:5*	C400	0.3	0.3	0.3	0.3	0.3	2.356	1.5	1.0
141-402	4,000:5*	C400	0.3	0.3	0.3	0.3	0.3	3.141	1.0	0.8
141-502	5,000:5*	C400	0.3	0.3	0.3	0.3	0.3	2.862	1.0	0.8
141-602	6,000:5*	C400	0.3	0.3	0.3	0.3	0.3	4.302	1.0	0.6

Approved for revenue metering by Industry Canada No. AE-0658

Model 141



For more information, visit
[gevernova.com/grid-solutions](https://www.gevernova.com/grid-solutions)

Instrument Transformers LLC reserve the right to change specifications of described products at any time without notice and without obligation to notify any person of such changes.

© 2025 GE Vernova and/or its affiliates. All rights reserved. GE and the GE Monogram are trademarks of General Electric Company used under trademark license.



GEA-N50356
English
250925