

In/Vn Options 0, J, K, L, M, N, P, R, & V for 4th Generation MiCOM Models End-of-Manufacturing/Supply Notice

Excerpt from Publication Number: GER-4964

Issued: 20th June 2024

Revision Dates:

- 12th December 2024 (Excerpt from End-of-Manufacturing Notice GER-4978)
- 26th November 2025 (Rebranding Revisions)

Copyright © 2025 GE Vernova

Background

GE Vernova Grid Solutions is committed to customer care and the support of our offerings. As part of this commitment, we strive to design high quality offerings, provide knowledge-based support, and to communicate the availability of new features or offerings as well as the pending discontinuation of manufacturing for older offerings or design variants.

On 20th June 2024, the discontinuation of the manufacturing and supply of In/Vn Options 0, J, K, L, M, N, P, R, & V for 4th Generation MiCOM Models was announced.

On 12th December 2024, a typo in the offering description for MiCOM In/Vn Option N on 4th generation MiCOM models was corrected so that it consistently referred to Option N in both locations. This notice was revised in accordance with GE Vernova rebranding guidelines.

On 26th November 2025, this notice was revised in accordance with GE Vernova rebranding guidelines.

Last-Time Buy Window

Please plan the purchase of any additional quantities or spares that you need. Orders should be placed prior to the last order date shown. Orders will be fulfilled based upon availability and shipments typically occur within three months of last order date. Requests for delayed shipments must be agreed with our factories prior to order acceptance.

OFFERING	LAST ORDER DATE	ALTERNATIVE
In/Vn Option 0 For 4 th Generation MiCOM Models – Without CT Options	15 th July 2025	MiCOM In/Vn Options: 1 – With In = 1/5A CT Input or C – IEC 61850-9-2LE Sampled Analog Values Ethernet Board
Order codes: Px4x0xxxxxxxxxx		Order codes: Px4x1xxxxxxxxx Px4xCxxxxxxxxxx

In/Vn Option J For 4 th Generation MiCOM Models — In = 1A: Vn = 100-120 Vac, 3 CT & 3 VT Order codes: LAST ORDER DATE ALTERNATIVE Contact GE Vernova Contact GE Vernova	
MiCOM Models – In = 1A : Vn = 100-120 Vac, 3 CT & 3 VT	
In = 1A : Vn = 100-120 Vac, 3 CT & 3 VT	
Oldel codes.	
Px4xxJxxxxxxxx	
In/Vn Option K For 4 th Generation 15 th July 2025 Contact GE Vernova	
MiCOM Models –	
In = 1A : Vn = 100-120 Vac, 6 CT & 6 VT	
Order codes:	
Px4xxKxxxxxxxx	
In/Vn Option M For 4 th Generation 15 th July 2025 Contact GE Vernova	
MiCOM Models –	
In = 1A : Vn = 100-120 Vac, 12 CT & 6 VT Order codes:	
Px4xxMxxxxxxxxx	
In/Vn Option N For 4 th Generation 15 th July 2025 Contact GE Vernova	
MiCOM Models –	
In = 5A : Vn = 100-120 Vac, 3 CT & 3 VT	
Order codes:	
Px4xxNxxxxxxxx	
In/Vn Option P For 4 th Generation Order Book Closed MiCOM In/Vn Options J, K, N	
MiCOM Models – 4 th Generation MiCOM Model	s
In = 5A : $Vn = 100-120 \text{ Vac}$, 6 CT & 6 VT	CT 0 2 VT
In = 1A : Vn = 100-120 Vac, 3 K -	CIASVI
In = 1A : Vn = 100-120 Vac, 6	CT & 6 VT
M –	014011
In = 1A : Vn = 100-120 Vac, 12	2 CT & 6 VT
N –	
In = 1A : Vn = 100-120 Vac, 3	CT & 3 VT
Order codes: Diday Danagana	
Px4xxPxxxxxxxxx Px4xxJxxxxxxxxx Px4xxKxxxxxxxxx	
Px4xxMxxxxxxxx	
Px4xxNxxxxxxxx	
In/Vn Option R For 4 th Generation Order Book Closed MiCOM In/Vn Options J, K, N	l. or N For
MiCOM Models – 4 th Generation MiCOM Model	
In = 5A : Vn = 100-120 Vac, 12 CT & 6 VT	
In = 1A : Vn = 100-120 Vac, 3	CT & 3 VT
K-	07.001/7
ln = 1A : Vn = 100-120 Vac, 6	CI & 6 VI
M - 100.120 Mpc) CT & & \/T
In = 1A : Vn = 100-120 Vac, 12 N -	ωιαυνι
In = 5A : Vn = 100-120 Vac, 3	CT & 3 VT
= 5.1. 1 = 100 120 vao, 0	
Order codes: Order codes:	
Px4xxRxxxxxxxxx Px4xxJxxxxxxxxx	
Px4xxKxxxxxxxxx	
Px4xxMxxxxxxxxx	
Px4xxNxxxxxxxxx	
In/Vn Option V For 4 th Generation Order Book Closed on MiCOM Models Order Book Closed on 29 th December 2023	
Order codes:	
Px4xxVxxxxxxxxx	

Support

GE Vernova's warranty provision is unaffected by this End-of-Manufacturing/Supply Notification. After the published last order date elapses, a repair service follows for items no longer under warranty subject to

End-of-Manufacturing/Supply Notice

availability that includes repairing failed components or modules, but not to providing advanced replacements or a new product or module as a replacement or spare.

Customers should contact us if they need further information concerning the level of service that is provided on a per offering basis.

For Additional Information

If we can provide assistance with migration to new offerings, please contact us for help. Advice and assistance are also available via: https://www.gevernova.com/grid-solutions/contact.htm?loc=3 or https://www.gevernova.com/grid-solutions/automation/protection-control-metering.